



COMMITTED TO A HEALTHIER TOMORROW

Through science, and precision, OZONE continues to empower veterinarians and farmers across continents — delivering solutions that protect, prevent, and perform.

Phone

+34 9774444975

R&D Center

Rasquera-4,
Tortosa-43500,
(Tarragona) SPAIN

Email

info@ozone.eu.com





Innovating Animal Health
Across Continents

PRODUCT CATALOGUE



ABOUT US

At Ozone, we are committed to delivering high-quality veterinary pharmaceutical solutions that meet international standards of safety, efficacy, and reliability. Our core product portfolio includes powders, liquids, and injectable formulations designed to support the health and productivity of livestock and poultry.

All of our products are fully registered and manufactured in Spain under strict quality-controlled environments. We source our raw materials primarily from well-reputed suppliers registered within European Union countries, ensuring consistency, traceability, and compliance with international regulatory requirements.

The Ozone team brings extensive experience in the manufacturing of veterinary pharmaceuticals, combining scientific expertise with modern production technologies. Our manufacturing practices strictly follow Good Manufacturing Practice (GMP) regulations and internationally accepted procedures, enabling us to provide safe, effective, and dependable healthcare solutions for the veterinary industry.

With a strong focus on innovation, integrity, and customer satisfaction, Ozone continues to build long-term partnerships by delivering products that veterinarians, farmers, and distributors can trust.



The Spanish company Ozone and the renowned pharmaceutical company Super's Diana have been partners for over 40 years. Together, we have developed a state-of-the-art research laboratory in Tarragona, Spain.

Our Vision

To be a leading veterinary pharmaceutical company in Spain and to become a significant global player by providing high quality innovative solutions for animal health

Our Mission

To provide highly effective veterinary pharmaceutical and services across the globe, through excellence in technology, based on world-class research and development.



Poultry Products





MINTFRESH (Oral Solution)

COMPOSITION:

Eucalyptus Oil 5 g; Thymus oil 2 g; Menthol 5.75 g; Rosmarin oil 0.2 g; Sodium Chloride 20 g; Potassium Chloride 8 g; Magnesium Chloride 10 g; Calcium Chloride 40 g; Betaine 30 g;

DOSAGE:

Oral solution for administration in drinking water.
1-2 ml/4 ltr in drinking water depending on the severity of heat stress syndrome.

PACK SIZE: 1 & 5 Liter.



OSMOZONE (Oral Solution)

COMPOSITION:

Phosphorus 15000 mg, Calcium 6000 mg, Sodium Chloride 20,000 mg, Manganese 1800 mg, Potassium Chloride 8000 mg, Magnesium Sulphate 10,000 mg, Folic Acid 800 mg, Iodine 150 mg, Selenium 10 mg, Dextrose 100 gm, Lactose (as Carrier) plant extract

DOSAGE:

- **Poultry:** 5-10 ml/100 Birds.
- **Breeder:** 30-40 ml/100 Bird.

PACK SIZE: 25 Liter

ASCORBIZONE (Oral Solution)

COMPOSITION:


Ascorbic Acid 22.5%,
Excipient to 1L.

DOSAGE:

Oral solution for administration in drinking water.

- **Poultry:** Add 1 ml per 22 ltr drinking water for 3 to 5 days.
- **Calve/Cow & Goat/Sheep:** 1 ml/50 kg B.W. for 3 to 5 days.

PACK SIZE: 1 & 5 Liter.



VITAFORT ULTRA (Oral Solution)

COMPOSITION:

Vitamin A 12.000.000 IU, Vitamin D3 400,000 IU, Vitamin E 4 g, Vitamin B1 1 g, Vitamin B6 2 g, Vitamin B12 0.6 g, Vitamin K3 1 g, Vitamin B2 0.4 g, Vitamin C 2.0 g, Calcium pantothenate 4 g, Magnesium Sulphate 10 g, Manganese sulphate 8 g, Zinc sulphate 5 g, Ferrous sulphate 8 g, Amino acids and minerals 21 g
Excipient to 1L.

DOSAGE:

- **Poultry:** 1ml/4-ltr drinking water for 3-5 days.

PACK SIZE: 1 & 5 Liter.



SELMAX (Oral Solution)

COMPOSITION:

All rac- α -Tocopheryl acetate (Vitamin E) 200 g, Selenium selenite 450 mg,
Excipient to 1L.

DOSAGE:

1 ml/10 Ltr drinking water.

PACK SIZE: 1 & 5 Liter.



CAL-D-ZONE (Oral Solution)

COMPOSITION:

Vitamin D3 20,000 IU, Calcium 56 g, Phosphorus 10 g, Magnesium 9.6 g, Manganese 2.1 g, Zinc 3.0 g, Copper 0.35 g
Excipient to 1 L.

DOSAGE:

- **Poultry:** Oral use in drinking water.
- **Layers:** Treatment: 1-2 ltr / 1000 ltr drinking water for 3 days.
Prevention: 1 ltr / 1000 ltr drinking water once a week from starting of lay.
- **Broilers:** Treatment: 1-2 ltr / 1000 ltr drinking water for 3 days.
Prevention: 1 ltr / 1000 ltr drinking water for 3 days.

PACK SIZE: 5 Liter.

HEPAZONE (Liver Tonic)

COMPOSITION:


Sorbitol 350 g, Carnitine 90 g., Choline chloride 60 g, Betanie 30 g, Acetilmetronie 25 g, Selmarin 2 g, Inositol 10 g, Nicorimide 2 g, Aspartic acid 10 g, Glutamatic acid 5 g, Glycine 5 g, Magnesium sulphate 50 g, plants extract (boldo artichoke c.s.)

DOSAGE:

Oral use in drinking water.

- **Poultry:** Add 1 ml per 10 ltr drinking water for 3 to 5 days.
- **Calve/Cow & Goat/Sheep:** 1 ml/50 kg B.W. for 3 to 5 days.

PACK SIZE: 1 & 5 Liter.



ACIDOMAX-L (Oral Solution)


COMPOSITION:


Formic acid 20%, Lactic acid 20%, propionic acid 10%, Ammoniac 8%, Quelant
Excipient to 1 L.

DOSAGE:

2-3.5 ml per ltr drinking water.

PACK SIZE: 25 Liter.





AD3EK ZONE (Oral Solution)

COMPOSITION:


Vitamin A 35 MIU, Vitamin D3 200,000 IU, Vitamin E 7 g, Vitamin K 1 g, Excipient 1L.

DOSAGE:

Oral use in drinking water.

- **Poultry:** Add 1 ml per 4 ltr of drinking water.
- **Calves, goats & sheep:** 1 ml/20 kg bw for 3-5 days.
- **Cattle:** 1 ml/40 kg bw for 3 to 5 days.

PACK SIZE: 1 & 5 Liter.



CALCIO-FORTE (Oral Solution)

COMPOSITION:

Vitamin D 32,000IU, calcium 20mg, (as gluconate and chloride) magnesium sulfate 15g, Zinc chloride 2.82mg, manganese chloride 1.3 mg.

DOSAGE:

- **Layers:** Treatment: 1-2Ltr/1000Ltr drinking water for 3 days. Prevention: 1 Ltr/1000Ltr drinking water once a week from starting of lay.
- **Broiler:** Treatment: 1-2 Ltr/1000 Ltr of Drinking water for 3 days. Prevention: 1 Ltr/1000 Liters.

PACK SIZE: 5 Liter.

LYSOVITAL (Oral Solution)

COMPOSITION:


Lysozyme 40000 IU, Vitamin A 25 MIU, Vitamin E 15 g, Ascorbic acid 50 m g, Vitamin D3 5 MIU, Excipient to 1L.

DOSAGE:

Oral use in drinking water.

1 ml per 2 ltr of drinking water for 3 to 5 days.

PACK SIZE: 5 Liter.



ACIDO-MAX (Feed Premix)

COMPOSITION:


Formic acid and its salts max 50%, Propionic acid and its salts max 35% Fumanic acid max 5%, Anticorrosive excipients c.s.

DOSAGE:

0.5- 1 kg per ton of feed

Or as directed by a nutritionist / veterinarian

PACK SIZE: 25 kg.



FORTISEL B12 (Oral Solution)

COMPOSITION:

Vitamin-E 150 mg, Sodium Selenite 2 mg, Vitamin-B12 0.05mg

DOSAGE:

Oral use in drinking water:

- **Poultry:** 1-2 drop per 1 ltr of drinking water.

PACK SIZE: 100 ml.



LINCO-MAX (Feed Premix)

COMPOSITION:

Lincomycin 4.4%

DOSAGE:

Oral use in feed.

- Improved weight gain: 50 g/tonne of feed, for 7-10 days.
- Control of necrotic enteritis & CRD: 100 g/tonne of feed, for 7-10 days.
- Treatment of necrotic enteritis & CRD: 250-500 g/tonne of feed, for 7-10 days.

PACK SIZE: 25kg.

SUPER HYDROXY D (Oral Solution)

COMPOSITION:

Each ml contains:

25-hydroxycholecalciferol..... 7.4 µg


DOSAGE:

Preventive dose in Layers and Breeder: 1 ml/4L of drinking water for 5-7 days.

For severe Vitamin-D deficiency: Use 1 ml/2L of drinking water for 5-7 days.

For Broilers: 14-19 Days: 1ml/4L of drinking water for 3 days. 25-29 Days: 1ml/4L of drinking water for 3 days. 32-35 Days: 1ml/4L of drinking water for 3 days.

PACK SIZE: 1 & 5 Liter.



ENRAMAX

COMPOSITION:


Enramycin4%

DOSAGE:

By oral route, mixed with feed.

- Improved weight gain: 100 g/1000kg feed, for 5-7 days.
 - Control of necrotic enteritis: 200 g/1000 kg feed, for 5-7 days, until improvement of the symptoms and then continue at 100 g/1000 kg feed for 15 days
- In case of coccidiosis, it can be used together with anticoccidial medication.

PACK SIZE: 25 kg.





ORGANOMIX (ORGANIC ACIDS)


COMPOSITION:

Carboxylic Acid, Methonic Acid (Formic Acid 320000 mg)Ethnoic Acid, Ethylic Acid, Vinegar Acid, (Acetic Acid) 150000mg, Citrus Fruit Pulp (Citric Acid) 50000mg Organic Acid (Lactic Acid) 50000mg ,Calcium Salt of Propanoic Acid (Calcium Propionate..... 30000mg, Oraganic Compound (Malic Acid) 20000mg, Organic Acid (Tartaric Acid) 20000mg, Copper Sulphate 30000 mg , Butyric Acid 10,000mg , Phosphorus 2,000 mg

DOSAGE:

Poultry: 0.5-1 ml/5L drinking water.

PACK SIZE: 25 KG.



BLUE SPRAY (Suspension for Cutaneous Spray)

COMPOSITION:

Each spray contains: Panthenol, Thyme extract, Eucalyptol and Calendula


DOSAGE:

Cutaneous use: Before use, clean thoroughly the area to be treated. Shake well before using. Spray from a 20cm distance for a few seconds (the discoloration of the treated area should be uniform).

PACK SIZE: 200 ml.



LiveStock



HERBOSE (Teat Sealant)

COMPOSITION:

Vitamin E 10 mg, Propylene glycol 4 ml, Glycerol 250 mg, Purified water 5.5 ml
Aromatic vegetable excipient to 10 ml.

DOSAGE:

Apply 10 ml of Herbose (1 syringe per quarter) on the skin of udder after milking and gently massage. No need to have a withdrawal period. Wash the teats with water before milking, to remove product residues that may remain.

PACK SIZE: 10 ml.



TOXISORB (Toxin Binder)

COMPOSITION:

Mix of sepiolite clays with anise extract

DOSAGE:

By oral route, mixed with feed;

• **For all species:** 0.5-1 kg/1000 kg of feed.

Note:- Do not exceed the maximum dose of 20kg/1000 kg of feed.

• **Poultry** : 50-100 gm/bag of feed.

• **Livestock** : 10-15 gm/head/day.

PACK SIZE: 25 kg.

SALSA+ (Mineral Block)


COMPOSITION:

Sodium 38% Max, Calcium 2.5% Max, Magnesium 0.1% Max, Iron 4000 ppm Min, Zinc 2000 ppm Min, Manganese 1500 ppm Min, Iodine 100 ppm Min, Cobalt 50 ppm Min, Selenium 10 ppm.

DOSAGE:

As per veterinary physician.

PACK SIZE: 3.5kg.



GUTWELL (Probiotic)

COMPOSITION:

Each g contains:

Saccharomyces cerevisiae 75×10^7 CFU



DOSAGE:

Oral route,

• **Livestock** : 1-2 g per day /calf

Drinking water should be prepared daily and the remains discarded safely.

PACK SIZE: 1 kg.



MYCOZONE (Feed Additive)

COMPOSITION:

mannooligosaccharides, bentonite-montmorillonite, oil and artichoke extract.
almond shell

DOSAGE:


Oral use in feed.

• **Poultry:** Mix 0.5 – 1 kg / 1000 kg feed.

• **Cattle:** 5 – 10 g/head/day.

• **Sheep and goat:** 2 – 3 g/head.

PACK SIZE: 25kg.



ORGANOZONE (Chelated Minerals)

COMPOSITION:

Each kg contains:

Zinc (glycine Chelate) 41 g, Manganese (glycine chelate) 17 g, Copper (glycine chelate) 10 g, Iodine (potassium iodide) 2.5 g, Selenium (selenised yeast) 0.2 g, Cobalt (cobalt acetate) 2.0 g

DOSAGE:

• **Poultry dose** : 12g/50kg feed bag.

• **Adult heifers** : 5g/head/day.

PACK SIZE: 25 kg.

• **Cow /buffalo** : 8-10g/head/day.

• **Growing Heifers** : 3 g/head/day.

SACCPRO (Live Yeast)

COMPOSITION:

Yeast (Saccharomyces cerevisiae) (4b1710) 2.1×10^{10} CFU/g +
Passiflora extract c.s. Chamomille extract c.s.

DOSAGE:

Oral use in feed.

• **Cattles:** Beef cattle: 2-3 g/head/day. Dairy cattle: 5 g/head/day.

PACK SIZE: 25kg.



LYSO VITA (Solution for ketosis)

COMPOSITION:

Propylene glycol 900 mg, Methionine 3 mg, Choline Chloride 4 mg,
Cyanocobalamin (Vitamin B12)..... 5 µg


DOSAGE:


Oral solution for administration in drinking water.

Cattle: 200 ml twice a day for first day and 100 ml twice a day for three days.

Sheep & goat: 100 ml once a day for 6 days.

PACK SIZE: 5 Liter.





POWER ANIMAL (Premix)

COMPOSITION:

Each Kg Contains: Vitamin A 4.5 MIU, Vitamin D3 (cholecalciferol) 0.05 g, Calcium carbonate 300 g

DOSAGE:

2 kg /MT of feed (or as directed by a nutritionist/veterinarian).

PACK SIZE: 25kg.



POWER ANIMAL (Oral Solution)


COMPOSITION:

Vitamin A 4.5 MIU, 25-Hydroxycholecalciferol 0.05g, Excipient up to 1 litre

DOSAGE:

1 litre /1000 litres of water (or as directed by a nutritionist/veterinarian)

PACK SIZE: 1L



BLUE SPRAY (Suspension for Cutaneous Spray)


COMPOSITION:

Each spray contains: Panthenol, Thyme extract, Eucalyptol and Calendula

DOSAGE:

Cutaneous use: Before use, clean thoroughly the area to be treated. Shake well before using. Spray from a 20cm distance for a few seconds (the discoloration of the treated area should be uniform).

PACK SIZE: 200 ml.



FORTISEL B12 (Oral Solution)

COMPOSITION:

Vitamin-E 150 mg, Sodium Selenite 2 mg, Vitamin-B12 0.05mg

DOSAGE:

Oral use in drinking water:

- **Poultry:** 1-2 drop per 1 ltr of drinking water.

PACK SIZE: 100 ml.



Innovating Animal Health Across Continents

📍 Carrer Rasquera, 4, 43500 Tortosa, Tarragona, Spain

☎ +34 977444975

🌐 <http://ozone.eu.com/>

✉ info@ozone.eu.com

